

# MATERIAL SAFETY DATA SHEET

# Thermoseal<sup>™</sup> / Thermofoil<sup>®</sup> /Thermoplast<sup>™</sup>

#### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name:	Thermoseal <sup>TM</sup> (previously Enviroseal <sup>TM</sup> )
	Thermofoil <sup>®</sup>
	Thermoplast <sup>TM</sup>
Other Names:	Thermoseal <sup>™</sup> / Thermofoil <sup>®</sup> - Light Duty Facing (729), Light Duty Facing (731),  Medium Duty Facing (730), Medium Duty Facing (735), Medium Duty  Perforated (730P), Heavy Duty Facing (750 & 750F), Heavy Duty  Perforated (750P), Acoustituff <sup>™</sup> , Medium Duty Sarking (733), Heavy  Duty Sarking (753).
	Thermoseal™ / Enviroseal™ - Wall Wrap, Wall Breather, Wall Wrap Plus, Wall Wrap XP, Wall Wrap XP Plus, Resiwrap, Roof Metal / Wall, Roof Tile, Roof Tile Plus, Roof Tile Safety / Roof Tile Pro
	Noor file, Noor file Flus, Noor file Salety / Noor file Flu
	Thermoplast™ - Decorative Foil (983), Decorative Foil Perforated (983P), Decorative Facing Foil (980),
	Decorative Facing Foil Perforated (980P), Decorative Foil (993),
Recommended use:	Used as reflective insulation and sarking membranes in roofs, walls and floors of domestic, industrial and commercial buildings. Also used as individual membranes, or as facings for Glasswool and Rockwool blankets, SPI and batts.
Supplier:	CSR Building Products Limited ABN 55 008 631 356
Address:	Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia
Telephone:	+61 2 9235 8000
Email Address:	bradfordwebenq@csr.com,au
Facsimile:	+61 2 9235 8044
Emergency Phone Number:	000 Fire Brigade and Police (available in Australia only)
Poisons Information Centre:	13 11 26 (available in Australia only)

This Material Safety Data Sheet (MSDS) is issued by CSR Bradford for the information of users, installers and the community. It has been formatted in accordance with the Code on Preparation of a Material Safety Data Sheet 2003 Safe Work Australia (SWA – formerly AS / NOHSC).

The information in this MSDS must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its MSDS by any other person or organization. The Supplier will issue a new MSDS when there is a change in product specifications and / or ASCC standards, codes, guidelines or regulations.

# **SECTION 2: HAZARDS IDENTIFICATION**

### NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD

**STATEMENT OF HAZARDOUS NATURE:** Not classified as Hazardous according to the criteria of the Australian Safety and Compensation Commission ASCC (formally National Occupational Health and Safety Commission NOHSC) Approved Criteria For Classifying Hazardous Substances [NOHSC:1008] 3<sup>rd</sup>. Edition. Classified as **Non-Dangerous Goods** under State and Commonwealth legislation. Risk and safety phrases are not applicable to this product.

Note: If heated above 120°C, the adhesive in these products may break down releasing fumes which contain chlorine and hydrogen chloride, which are classified as Hazardous.

CSR MSDS Reference: Enviroseal TM\_Thermofoil®\_Thermoseal TM\_

Date Issued: Renewed 12th October 2021



# **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name:	Proportion:	CAS Number:
Aluminium foil	<25%	-
Adhesive (Hot melt)	<65%	-
Laminating kraft paper	<25%	-
Woven polypropylene	<65%	-
Continuous filament fibreglass	<10%	-

# **SECTION 4: FIRST AID MEASURES**

Swallowed:	Unlikely under normal conditions of use. Swallowing may result in mild irritation of mouth and	
	throat.	
Eyes:	Flush with flowing water. If symptoms such as irritation or redness persist, seek medical	
	attention.	
Skin:	No skin reaction would be expected from contact with the product.	
Inhaled:	(applies to fumes or smoke from overheating) Remove to fresh air. If symptoms persist, seek medical attention.	
Advice to Doctor:	Treat symptomatically.	

# **SECTION 5: FIRE FIGHTING MEASURES**


Specific Hazards:	Not flammable – delaminates above 80°C.
Suitable Extinguishing	Use extinguishing media (e.g. carbon dioxide, water, foam or dry chemical) and equipment
Media:	as required by fire in surrounding materials.
Fire Fighting	If product is present in a fire, some smoke and toxic gasses may be evolved. Wear protective
Procedures:	equipment including Self Contained Breathing Apparatus (SCBA) when combating fire.
Hazardous	When heated above 120°C, the adhesive may break down releasing chlorine and hydrogen
Decomposition	chloride.
Products:	

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Off-cuts: Collect off-cuts and waste material for disposal.

# **SECTION 7: HANDLING AND STORAGE**

Storage:	Keep in a dry sheltered environment
Incompatibilities:	None



# **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

National Exposure Standards:	Australian Safety and Compensation Commission ASCC (formerly NOHSC) Australian Occupational Exposure Standard. None applicable for product under normal use.
ENGINEERING CONTROLS	
Ventilation:	Not applicable
Personal Protection:	Gloves required when cutting product with knife.
Skin Protection:	None required.
Eye Protection:	None required.
Respiratory Protection:	Where product is heated above 120°C, causing smoke or fumes, an efficient cartridge- type or powered respirators or supplied-air helmets or suits may be necessary. Use only respirators that bear the Australian Standards mark and are fitted and maintained correctly, and kept in clean storage when not in use.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance:	Aluminium foil covered laminate
Odour:	None
pH, at stated concentration:	Not applicable
Vapour pressure / Density:	Not determined
Boiling Point / range: (℃)	Not determined
Freezing/Melting Point: (℃)	Not applicable
Solubility in water:	Not soluble
Solubility (Other):	Not applicable
Specific Gravity: (H <sub>2</sub> O = 1)	Not applicable
Evaporation Rate:	Not applicable
Flammability Limits:	Not applicable
Flash Point:	Not applicable

# **SECTION 10: STABILITY AND REACTIVITY**

Chemical Stability:	Stable
Incompatible Materials:	None
Conditions to avoid	Heating to over 120°C
Hazardous Reactions / Decomposition	When heated above 120°C, the adhesive may break down releasing chlorine
Products:	and hydrogen chloride.
Hazardous Polymerisation:	None

# **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological data is not applicable to the solid material.

### Health Effects: (applicable to any fumes due to overheating above 120℃):

Acute Effects:	When heated above 120°C, the adhesive may break down releasing chlorine and hydrogen chloride.
Swallowed:	Unlikely under normal use.
Eyes:	In situations of overheating above 120°C fumes will irritate the eyes causing watering and redness.
Skin:	In situations of overheating above 120 ℃ fumes may cause mild skin irritation.
Inhaled:	In situations of overheating above 120°C highly irritant smoke or fumes may cause excess mucous
	secretion, coughing and lung damage (see Sections 5 and 10 above).

Health Effects: Chronic (long term): None known

CSR

 ${\sf CSR\ MSDS\ Reference:\ Enviroseal}^{\sf TM}\_{\sf Thermofoil}^{\sf @}\_{\sf Thermoseal}^{\sf TM}$ 

Date Issued: Renewed 12<sup>th</sup> October 2021

SECTION 12: ECOLOGICAL INFORMATION	
Ecotoxicity:	No known reports of ecotoxicity.
Persistence and Degradability:	Product would be expected to be of low bio-degradability and persistent in the
	environment.
Mobility:	Low mobility in landfill situations.
Ozone Depleting	As referenced in the US EPA list of Ozone Depleting Substances (Class 1 and
Potential (ODP):	Class 2), no Ozone Depleting Substances are involved in either the manufacture or composition of this product & therefore it has an ozone depletion potential of zero.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Collect off-cuts and waste material. Dispose into a landfill site in accordance with local authority guidelines.

#### **SECTION 14: TRANSPORT INFORMATION**

Transport Requirements:	No special transport requirements are necessary
UN number:	None allocated
Class:	None allocated
Subsidiary Risk 1:	None allocated
Packaging Group:	None allocated
HAZCHEM code:	None allocated
DG Class:	None allocated
EPG:	None
Incompatibilities:	None
Proper Shipping Name:	None allocated
Marine Pollutant:	No

### **SECTION 15: REGULATORY INFORMATION**

Poisons Schedule:	None allocated
•	

# **SECTION 16: OTHER INFORMATION**

#### For further information on this product, please contact:

Triniti 3, 39 Delhi Road, North Ryde, NSW 2113, Australia

**Phone:** 1800 819 618 (available in Australia only) **Fax:** 1800 647 260

## ADDITIONAL INFORMATION

The following references are intended as guides to good industrial practice applicable to building and construction products.

AS/NZS 1336	Recommended practices for occupational eye protection
AS/NZS 1715, 1716	Selection, use and maintenance of Respiratory Protective Devices.
AS/NZS 2161	Occupational protective gloves

#### **AUTHORISATION**

Reason for Issue:	MD735 Added & BI logo updated
Authorised by:	Warren Stewart
Date of issue:	17 <sup>th</sup> June 2016

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at time of preparation, no responsibility can be accepted by us for errors or omissions. The provision of this information should not be construed as a recommendation to use our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

END OF MSDS

Date Issued: Renewed 12<sup>th</sup> October 2021



